


**T. 4 S. R. 14 W. 2<sup>d</sup> Mer.**



Township 4 S. R. 14. W. 2<sup>a</sup> Mer Ind<sup>a</sup>, <sup>459,</sup>  
CHESKS.

South Boundary. Var. —

West Au S. Boundary of Sec 36,  
10.90 Hackberry 12 in dia,  
40.00 Set of the Post from which  
Hackberry 3 in dia W 84 3 7 6 CKS.  
a 150 12 " " " N 19 6 10 " "  
45.82 a Hickory 15 " " "  
80.00 Set Post with 1 notch from which  
a Sweet Gum 10 in dia W 112 19 CKS.  
an ash 14 in dia W 82 7 1/2 W 22 CKS.  
Land good Bottom. Timber  
Hackberry, Honey Locust, Walnut-  
Sugar, Elm, Hickory &c,  
under Gum, Spice bush &c,

West Au S. Boundary of Sec 35,  
6.50 a Walnut 24 in dia,  
26.32 To "Wabash River" opposite to 2 Islands.  
Set Putton Bank for to Towns 5 & 6  
S R 14 W, from which  
a Honey Locust 24 in dia W 89 6 60 CKS.  
a Burr Oak 36 " " " N 3 7 31 "  
Land &c same, W<sup>m</sup> Rector D.S.  
\* Note by Transcriber.

This is not  
the "Wabash River" but merely a  
double bayou or 2 bayous setting  
out from the Wabash in Sec 35  
T. 4, S. R. 14, W, thence running southerly  
& South Westery parallel with each  
other & uniting again with the  
Wabash in Sec 11, T. 5, S. R. 14 W,  
Mr Rector has mistaken this  
double bayou for the "Wabash River"

T. 4. S. R. 14. W. 2<sup>nd</sup> Mer Ind<sup>d</sup>

and had there terminated his correction line. The same mistake was made by Mr. Meunier in his subdivision of T. 5. S. R. 14 W. for he has made this Bayou a part of his N. boundary & has meandered it accordingly, calling it the "Nabash". The error was subsequently detected & corrected by Mr. Sullivan.

S. Boundary of Sec 35. continued by D. Sullivan, from Cor to Sec 35 & 36,

- 26.50 A corner on bank of bayou.  
Bayou 440 LKS wide lower S.  
40.00 Set of Sec Post from which  
An Elm 6 in dia W P 867 N 19 LKS x  
An " 8 " " " N 61 E 41 " "  
40.50 A Bayou lower W.  
55.00 Leave Bayou lower N of W.  
69.24 An R. Oak 7 in dia.  
80.00 Set Post Cor to Sec 34 & 35 from which  
A Box Elder 10 in dia W P 958 N 45 LKS x  
A Hoopwood 18 " " " N 56 E 50 "  
This mile mostly Rich Bottom.  
Timber Hoopwood Walnut. Ash &c.  
and Gr. Spice & Lane.

- 
- West An S. Boundary of Sec 34,  
7.09 Attorney Locust 12 in dia.  
35.05 A Walnut 30 in dia.  
40.00 Set of Sec Post from which  
A Box Elder 18 in dia W P N 3 E 30 LKS x  
An Elm 10 " " " S 35 W 48 "  
46.19 Intersect Nabash River Set Post

461

F. 4 S. R. 14 Tr. 2<sup>a</sup> mer End<sup>a</sup>.

on E Bank from which  
a maple 12 in dia W N 47 N 16 E S &  
a 50 16 " " " 97 E 22 " "  
D Sullivan D.S.

---

East Boundary.

Var. —

North On E. Boundary of Sec 36,  
12.50 a Hickory 16 in dia.  
40.00 Set of Sec Post from which  
an Ash 9 in dia W N 39 N 22 E S &  
an Elm 18 " " " N 57 E 9 " "  
57.19 a Hickory 15 " " "  
80.00 Set Post. Cor to Sec 35 & 36 from which  
an Elm 30 in dia W N 21 N 93 E S &  
a S. Gum 18 " " " 912 N 70 " "  
Land all Bottom 1<sup>st</sup> & 2<sup>d</sup> rate,  
Timber. Hickory, Ash & Gum.

---

North On E. Boundary of Sec 25,  
3.30 a Sweet gum 24 in dia,  
40.00 Set of Sec Post from which  
an Elm 8 in dia W N 67 N 26 E S &  
a Sassafras 12 " " " N 20 E 4 " "  
45.11 a Red Oak 12 " " "  
63.20 To bank of Wabash. Set Post  
on S. bank from which  
a Hickory 15 in dia W S 35 N 44 E S &  
an Ash 20 " " " 987 E 60 "  
Land & same. Aug 16. 1806.

---

South On E. Boundary of Sec 1,  
Land 30. 1806.  
9.11 a Poplar 30 in dia,  
32.00 a Branch 8 E S wide (under S. N.



462

T. 4 S. R. 14 W. 2<sup>nd</sup> Mer Sec<sup>th</sup>.ch<sup>th</sup> LKS

- 40.00 Set of Sec Post from which  
 Hackberry 14 in dia W<sup>th</sup> N 18 W 15 LKS<sup>x</sup>  
 An Elm 16 " " " S 75 E 30 " ,
- 55.00 " " 16 " "
- 80.00 Set Post Cor to Sec 12 & 13 from which  
 An Ash 12 in dia W<sup>th</sup> S 16 W 32 LKS<sup>x</sup>  
 A Dogwood 8 " " " N 43 1/2 W 11 " ,  
 Land N 1/2 Hillery S 1/2 good Bottom  
 Timber Ash. Elm Walnut. Oak,  
 Hackberry & Hickory. under Spice,

South On E. Boundary of Sec 12.

- 7.38 As. Gum 20 in dia.
- 22.76 A Pond 300 LKS wide Course E & W.
- 40.00 Set of Sec Post from which  
 a Dogwood 9 in dia W<sup>th</sup> S 33 E 3 LKS<sup>x</sup>  
 Hackberry 7 " " " N 18 W 9 " ,

46.30 A do 24 " " ,

64.00 A Pond 8 ch<sup>th</sup> wide Course S. W.

- 80.00 Set Post Cor to Sec 12 & 13. from which  
 An Ash 10 in dia W<sup>th</sup> S 16 W 13 LKS<sup>x</sup>  
 An Elm 14 " " " S 76 W 24 " ,  
 Land level good 2<sup>nd</sup> rate.  
 Timber. Oak. Hickory. Ash. Elm  
 &c

South on E. Boundary of Sec 13.

4.13 A Bk. Oak 30 in dia.

- 40.00 Set of Sec Post from which  
 A B. Oak 26 in dia W<sup>th</sup> S 17 E 50 LKS<sup>x</sup>  
 Hickory 14 " " " N 42 W 19 " ,

61.35 Scippo. Creek 100 LKS wide for S 10

- 80.00 Set Post Cor to Sec 13 & 24 on  
 E. edge of a large Bayou or Pond  
 from which

463,  
T. 4 S. R. 14 W. 2<sup>nd</sup> Mer-Sud,  
Asses

An Elm 30 in dia b P N 54 E 16 W  
an Oak 24 " " " S 4 E 66 "  
Land part level & tolerable  
good quality. & part flat covered  
with water Timber &c same.

South An E. Boundary of Sec 24,

7.45 An Ash 10 in dia.

7.62 Set Post on bank of Nabash for which

An Ash 12 in dia b P N 42 E 15 W

a 20 20 " " " N 77 W 36 "

Land good Bottom,

Timber &c same.

Wm Rector D.S.

North Boundary.

Var.

No Notes found for S. boundary  
of Sec 26 T. 4 S. R. 14 W.

S. Boundary of Sec 35, do.

414.

T. 4 S. R. 14 W. 2<sup>a</sup> Mer Sec<sup>a</sup>.  
ch. 1/2

West On S. Boundary of the 34 T. 3. S. R. 14 W.  
40.00 Set of Sec Post. (No Bearings)  
77.88 A Pond 360 CKS wide  
80.00 Post cor to Sec 33 & 34 in Pond  
No Bearings taken.

West On S. Boundary of the 33. T. 3. S. R. 14 W.  
17.57 Hackberry 22 in dia,  
36.37 Intersect Wabash. Set Post from which  
An Elm 12 in dia W N 46 E 50 CKS x  
An Ash 10 " " " S 45 E 53 " "  
D Sullivan. D.S.

### Subdivision

Var. —

North Between Sec 35 & 36  
31.20 An Elm 15 in dia  
34.76 To Bank of the Wabash. Set Post from which  
An Elm 5 in dia W on corner. x  
A Walnut 18 " " " N 86 E 18 CKS x  
A Redbud 5 " " " S 18 W — " "  
Sand Rich Bottom. Timber  
Ash. Elm. Hickory &c.

West Between Sec 36 & 25,  
19.00 An Elm 12 in dia.  
40.00 Set of Sec Post from which  
A Hackberry 12 in dia W N 12 E 46 CKS x  
A Red Oak 30 " " " S 5 E 5 " "  
40.28 An Ash 15 " " "  
60.00 To Bank of the Wabash River

Completed

T. 4. S. R. 14 N. 2<sup>nd</sup> mer Sec a  
ch. 180

Set Post on E. bank from which  
a maple 14 in dia W P 918 E 20 CKS  
a do 10 " " " N 7 E 25 " "  
Land & same.

Wm Retor D.S.

By D Sullivan

North Between Sect 35 & 36

34.80 Came to Post on River Bank.

North Between Sect 34 & 35,

14.62 Set Post on bank of Wabash  
River from which

a offshoot 12 in dia W P 957 N 38 CKS  
a Hickory 10 " " " 972 E 35 "

West Between Sect 25 & 36, from 1/4 Post.

20.00 To Post on bank of River.

West Between Sect 13 & 24,

7.50 A stream 200 lks wide lower S.

38.34 a Hickory 18 in dia.

40.00 Set of the Post from which  
an Oak 7 in dia W P 129 E 22 CKS  
an Ash 9 " " " 955 N 18 "

44.5-8 a Hickory 18 " "

75.65 To Bank of River Set Post from which

a Sugar 18 in dia W P 915 E 50 CKS

a do 12 " " " N 48 E 15 " "

Land 2<sup>nd</sup> rate Timber Oak &  
Hickory and Geo Same.

North Between Sect 23 & 24, from

Post "in Illinois" Co to Sect 23, 24, 25 & 26

13.00 Post on S. bank of River



466 T. 4. S. R. 14 N. 2<sup>a</sup> mer Sec w.  
Chsks

27.20 Set Post on N Bank from which  
a cottonwood 8 in dia W S 37 N 15 CKS  
a do 12 " " " N 13 E 135 " "

40.00 Set of the Post from which  
An Elm 18 in dia W S 30 N 13 CKS  
An Oak 20 " " " N 9 E 7 "

61.14 To Nabash R. Set Post from which  
a Dogwood 10 in dia W S 30 N 42 CKS  
An Ash 20 " " " N 29 E 45 " "  
Land Low Bottom Timber Elm &c.  
and Green Spruce, &c.

---

North Between Sec 14 & 15.

Set Post on N. bank of River from which  
a Hoopwood 18 in dia W S 37 N 45 CKS  
a do 10 " " " N 41 E 28 " "

12.05 Set Post Cor to sec 10, 11, 14 & 15 from which  
a Hoopwood 12 in dia W S 45 N 20 CKS  
a do 10 " " " S 22 E 13 " "  
Land Level rich Bottom  
Timber Hoopwood & Walnut.

---

East Between Sec 10 & 15.

Set Post on E. bank from which  
a Hoopwood 10 in dia W S 78 E 10 CKS  
a do 8 " " " S 46 E 36 " "

16.60 Intersect N.S. line at Post.  
Land &c same.

---

East Between Sec 11 & 14

20.20 An ash 36 in dia.

23.00 a Pond 300 CKS wide.

40.00 Set of the Post from which  
An Elm 10 in dia W S 47 E 35 CKS  
a Hoopwood 10 " " " N 75 N 9 " "



T. 4. S. R. 14 78. 2<sup>a</sup> Mer Sec a  
cheks.

80.00 Set Post for to Sec 11, 12, 13 & 14 from which  
an Elm 10 in dia W N 11 70 11 CKS &  
Hoopwood 10 " " " S 4 E 29 "  
Land & c Same.

East An Random Between Sec 12 & 13,  
29.50 A Brook 70 CKS wide course S.  
72.83 A Pond 275 " "  
79.50 Enter at E. Boundary 193 CKS to offer,  
Land level & good for farming.  
Timber Oak, Hickory, Hoopwood.

West Corrected Between Sec 12 & 13,  
39.75 Set of Sec Post from which  
Hoopwood 10 in dia W N 42 E 5 CKS &  
Hickory 10 " " " S 42 N 42 "  
79.50 Sec for,

South Between Sec 13 & 14  
22.44 Hickory 18 in dia,  
40.00 Set of Sec Post from which  
an Ash 10 in dia W N 21 70 12 CKS &  
an " 10 " " " S 26 E 30 "  
46.50 A. Spruce 12 " "  
49.27 Set Post on Bank of River from which  
an Ash 12 in dia W N 57 70 20 CKS &  
an " 10 " " " S 25 E 30 "  
Land & c Same.

North Between Sec 11 & 12,  
1.91 Honey Locust, 30 in dia,  
40.00 Set of Sec Post from which  
an Elm 18 in dia W N 49 70 26 CKS &  
Hoopwood 8 " " " S 5 E 9 "  
44.45 A Brook 60 CKS wide course S. E.

418

T. 4 S. R. 14 78. 2<sup>d</sup> mer End<sup>d</sup>.

ch. LKS

48.50 A Brook 60 LKS wide (over a S. W.  
 56.00 a 150 60 " " " S. E.  
 76.93 A Oak 40 in dia.  
 80.00 Set Post for to Sect 1, 2, 11, & 12 from which  
 An Ash 20 in dia W P 95-3 N 43 LKS  
 A Hickory 10 " " " N 12 E 15 " "  
 Sand Level rich Bottom,  
 Timber & same.

East An Runway Between Sect 1 & 12,  
 40.00 Set top of the Post.  
 79.50 Intersect N. S. line 197 LKS N. of. for  
 Land & same.

West Corrected Between Sect 1 & 12,  
 39.75 Set of the Post from which  
 A B. Gum 14 in dia W P 91-2 N 20 LKS  
 A Hickory 12 " " " N 11 E 4 " "  
 79.50 See former. Jan'y 5. 1807.

North Between Sect 1 & 2,  
 26.50 An ash 50 in dia,  
 29.36 A Oak 20 " " "  
 40.00 Set of the Post from which  
 An ash 10 in dia W P N 5-8 E 21 LKS  
 An " 8 " " " S 27 N 20 " "  
 55.23 An " 40 " " "  
 61.33 An " 12 " " "  
 78.00 Intersect N Boundary 83 LKS E off.  
 Set Post for to Sect 1 & 2 from which  
 A Poplar 50 in dia W P S 48 E 21 LKS  
 A 50 10 " " " N 48 E 30 " "  
 Sand Rolling upland good soil.  
 Timber & same.

## T. 4. S. R. 14 N. 2 " near End "

ch 2 KS

North Between Sect 10 & 11,  
 9.28 a Beech 24 in dia,  
 12.32 a do 30 " " "  
 14.20 a Pond 300 LKS wide  
 40.00 Set of Sec Post from which  
 Attopwood 10 in dia bP S 66 E 23 KS &  
 An Elm 9 " " " S 83 W 34 "  
 44.00 Attopwood 12 " "  
 49.50 a Walnut 36 " "  
 80.00 Set Post for to Sect 2, 3, 10, & 11 from which  
 An ash 16 in dia bP S. 86 W 41 LKS &  
 Attickory 10 " " " N 52 E 23 " "  
 Sand Rich Bottom. Timber  
 Walnut. Elm & Attopwood,  
 Mud & Lane. Spice &c.

East On Random Between Sect 2 & 11,  
 39.83 a Brook 175 LKS wide course S,  
 40.00 Set trap of Sec Post, in Creek,  
 80.08 Enter at N & S. line 12 LKS N of cor.  
 Sand &c same. mostly.

West Corrects Between Sect 2 & 11,  
 40.04 of Sec Post in Creek,  
 80.08 Sec cor.

North Between Sect 2 & 3,  
 18.33 a S. Gum 18 in dia,  
 20.40 Attickory 36 " " "  
 40.00 Set of Sec Post from which  
 a S. Gum 16 in dia bP N 57 E 11 LKS &  
 a do 10 " " " S 86 W 39 " "  
 42.35 a S. do 16 " " "  
 77.58 Enter at N. Boundary 114 LKS E of Post.  
 Set Post Cor to Sect 2 & 3 from which

470

T. 4. S. R. 14. 78. 2<sup>nd</sup> Mer Ind<sup>n</sup>.  
ch<sup>ks</sup>

ad. Gum 34 in dia W 8.5 N 35 CKS<sup>x</sup>  
 a Hoopwood 12 " " " N 15 N 22 " "  
 Land Rich Bottom. Timber  
 & c Same.

Set Post cor to Sect 3, 4, 9, & 10, on N.  
 Bank of River from which  
 a maple 12 in dia W 8.4 E 169 CKS<sup>x</sup>  
 a Willow 12 " " " N 44 E 87 " "

East On Random Between Sect 3 & 10,  
 40.00 Set trap of Sec Post.  
 82.50 Intersect N. S. line S. 100 CKS.  
 Land good Bottom & c. & c.

West Corrected Between Sect 3 & 10,  
 41.25 Set of Sec Post from which  
 a Hoop ash 20 in dia W N 41 N 8 CKS<sup>x</sup>  
 a do 24 " " " S 15 E 28 " "  
 82.50 Sec Cor.

North Between Sect 3 & 4,  
 29.05 An Ash 16 in dia.  
 40.00 Set of Sec Post from which  
 ad. Gum 12 in dia W N 63 N 9 CKS<sup>x</sup>  
 An Elm 40 " " " N 49 E 16 " "  
 53.00 a Sycamore 72 " " "  
 78.78 Intersect N. Boundary on N. Edge  
 of a Pond. Set Post from which  
 An Ash 20 in dia W N 40 N 23 CKS<sup>x</sup>  
 a maple 10 " " " S 14 E 76 " "  
 Land Rich Bottom. Timber & c Same.  
 Tuesday January 6. 1856.  
 D. Sullivan D.S.

S. 4 S. R. 14 N. 2<sup>a</sup> mer Ind<sup>a</sup>,

Meanders of Wabash River,  
Commencing on line Between Sec<sup>t</sup>  
34 + 35, thence down the river in  
Sec 34 on left side

Course	ch <sup>s</sup> & f <sup>s</sup>	Remarks,
N. 84 W.	23.00,	
S. 81 W.	5.00	
S. 71 W.	5.00	
S. 63 W.	10.00	
S. 43 W.	5.00	
S. 24 W.	5.00	
S. 4 W.	2.00	To S. Boundary.

Commencing at line  
Between Sec<sup>t</sup> 34 + 35, thence  
up stream on right side  
in Sec 35,

S. 83 E.	3.20	To mouth of Bayou 4500 ft wide
do	4.77.	
East	29.00	
N 80 E	18.00	To head of double bayou 5500 ft wide,
do	8.50	
N 40 E	7.00	
N 58 E	8.50	
N 60 E	5.00	
N 50 E	5.70	Line Between Sec <sup>t</sup> 35 + 36.

N. 52 E	9.00	In Sec 36,
N 41 E	9.00	
N 28 E	12.00	
N 4 E	21.70	Line Between Sec <sup>t</sup> 25 + 36

N 14 E	26.00	In Sec 25,
N 48 E	9.00	
N 61 E	14.00	



472

T 4, S. R. 14, N. 2<sup>a</sup> mer Erid<sup>a</sup>,

Course	Ch. SMO.	Remarks.
N. 63 E	11.00	
N 55 E	23.00	
N 40 E	9.27.	To E. Boundary.
		From Post on E. Boundary up stream on right bank In Sec 24.
N 54 W	4.00	
N 75 W	11.00	
S. 89 W	9.00	
S. 73 W	16.00	
S. 45 W	12.00	
S. 20 W	18.00	
S. 33 W	20.00	
S. 65 W	10.00	
N. 78 W	9.10	Line Between Sec 23 & 24.
N. 78 W	13.00.	In Sec 23.
N 11 E	10.00	
N 23 E	15.70	Line Between Sec 23 & 24.
N 11 E	14.00	In Sec 24.
N 45 E	3.20	Line Between Sec 13 & 24.
N. 9. W	9.00	In Sec 13, at 400 yds a stream 50' wide
N 3. W	5.00	
N 8 W	13.00	
N 30 W	5.24.	Line Between Sec 13 & 14.
N. 33 W	11.00	In Sec 14.
N 40 W	6.00	
N 47 W	6.00	
N 66 W	14.00	
N 75 W	26.00	
N 86 W	17.00	

473

T. 4, S. R. 14 N. 2<sup>nd</sup> Mer Ind<sup>n</sup>

Course.	Chains.	Remarks.
N 66 W	11.90	Line Between Sec 14 & 15.
N 58 W	9.00	In Sec 15.
N 53 W	9.50	Line Between Sec 10 & 15.
N 48 W	37.00	In Sec 10.
N 37 W	12.00	
N 42 W	15.00	
N 34 W	20.00	
N 33 W	9.00	Put Cor to Sec 3, 4, 9, & 10.
N 79 W	7.00	In Sec 4.
N 30 W	37.00	
N 21 W	29.00	
N 13 W	12.74	To N. Boundary.
		D Sullivan D.S.

Surveyor General's Office,  
 Detroit March 10, 1846

I hereby certify  
 that the foregoing Transcript of the  
 Field Notes of Township No 4 South  
 Range No 14 West. of 2<sup>nd</sup> Mer Ind<sup>n</sup>,  
 has been compared with the  
 original Notes in this office &  
 found to be correct.

Lucius Lyon,  
 Surveyor Genl.